




Learn more about our Winter Fuel Additive technology at schaefferoil.com






Wint	er Treat		Shiocton, WI
40° —	Cloud Point	No Additive	1:750
30° —			
20° —			
10° —			
0° -	0°		
-10° —		NaN°	-
-20° —			-33°
-30° —			
-40° —			





Learn more about our Winter Fuel Additive technology at schaefferoil.com




-	ULSW		Merrill,
40° —	Cloud Point	No Additive	1:1000
30° –			
20° —			
10° –			
0° —	-4°		
-10° —		NaN°	-
-20° —			-33°
200			
-30° —			

137	ULSW			Merrill,	WI
40° —	Cloud Point	$\overline{+}$	No Additive	1:1000	
30° –		+			
20° –		+			
10° —					
0° —		+			Т
-10° —	-24°	Ħ	NaN°		F
-20° —		H		40°	E
-30° —	·			-49°	ŀ
-40° —		\bot			ŀ

138	APA 400		Shiocton, WI
40° -	Cloud Point	No Additive	1:750
30° —			
20° –			
10° —			
0° —	-6°		
-10° —		NaN°	
-20° —			-36°
-30° —			-
-40° —			



Learn more about our Winter Fuel Additive technology at schaefferoil.com




Scna	effer Wint	er	Shiocton, W
40° —	Cloud Point	No Additive	1:750
30° —			
20° —			
10° —			
0° —	-8°		
	0	NaN°	
-10° —			
-10° — -20° —			-33°
_			-33°

Scha	effer		Shiocton, W
40° —	Cloud Point	No Additive	1:750
30° –			
20° —			
10° —			
0° —	-9°		
-10° —	-9	NaN°	
-20° —			-36°
-30° —			
-40° —			

137	ULSW		Merrill, WI
40° —	Cloud Point	No Additive	1:1000
30° —			
20° —			
10° —			
0° —	-9°		
-10°		NaN°	
-20° —			-42°
-30° —			
-40° —			



Learn more about our Winter Fuel Additive technology at schaefferoil.com



138	APA 400		Shiocton, WI
40° —	Cloud Point	No Additive	1:750
30° —			
20° —			
10° —			
0° —	-8°		
-10° —	J	NaN°	-
-20° —			
-30° —			-51°
-40° —			

137	ULSW		Hartland, W
40° —	Cloud Point	No Additive	1:1000
30° —			
20° —			
10° —			
0° —	1°		
-10° —		NaN°	-27°
-20° —			
-30° —			
-40° —			